

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 11/02/2020 Version: 10.3

Generated : 10/02/2020

SECTION 1: Identification of the sub	ostance/mixture and of the company/undertaking
1.1. Product identifier	stanoe, mixture and of the company/andertaking
Product form	: Mixture
Product name	: BLEACH
Product code	: B1000
Type of product	: Disinfectant
<b>1.2. Relevant identified uses of the subs</b>	stance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: Chlorine-based disinfectant
4.0.0 Uses advised ensinet	
1.2.2. Uses advised against No additional information available	
	dete ekset
<b>1.3. Details of the supplier of the safety</b>	
FOREMOST PRO LTD T/A FOREMOST	UNIT 3 DICKINSON PLACE, SOUTH BERSTED BUSINESS PARK, BOGNOR REGIS, WEST SUSSEX, PO22 9QU, UNITED KINGDOM
	Tel: 01243 771 340 Fax: 01243 822 010 Email: tech@foremost-uk.com
1.4. Emergency telephone number	
Emergency number	Mon to Fri 8.30am to 5.00pm - 01243 771 340
<b>SECTION 2: Hazards identification</b>	
2.1. Classification of the substance or n	nixture
Classification according to Regulation (EC) I	
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment — Acute	
Hazardous to the aquatic environment — Chron	ic Hazard, Category 2 H411
Full text of H statements : see section 16	
Adverse physicochemical, human health and	environmental effects
No additional information available	
2.2. Label elements	
Z.Z. Laber elements	
Labelling according to Regulation (EC) No. 1	272/2008 [CLP]
Hazard pictograms (CLP)	
	V V
	GHS05 GHS09
Signal word (CLP)	: Danger
Hazardous ingredients	: sodium hypochlorite, solution % Cl active
Hazard statements (CLP)	: H315 - Causes skin irritation.
. ,	H318 - Causes serious eye damage.
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P264 - Wash hands thoroughly after handling.
	P280 - Wear eye protection, protective gloves.
	P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER, a doctor.
	P391 - Collect spillage.
EUH-statements	: EUH031 - Contact with acids liberates toxic gas.
2.3. Other hazards	. Lonion - Oundal with doub incrates take yas.
No additional information available	

# SECTION 3: Composition/information on ingredients 3.1. Substances

Not applicable

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hypochlorite, solution… % Cl active	(CAS-No.) 7681-52-9 (EC-No.) 231-668-3 (EC Index-No.) 017-011-00-1	1 - 5	Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	· Cat modical advice/attention if you feel unwell
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of water/ Take off immediately all contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attentior
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Burns.
	cal attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the s	substance or mixture
Hazardous decomposition products in case of	fire : Chlorine.
5.3. Advice for firefighters	
No additional information available	
SECTION 6: Accidental release me	easures
6.1. Personal precautions, protective e	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containn	
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
For further information refer to section 8: "Exp	osure controls/personal protection". For further information refer to section 13.

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including a	ny incompatibilities
Technical measures	: Does not require any specific or particular technical measures.
Storage conditions	: Keep container closed when not in use.
Incompatible products	: Strong bases. Oxidizing agent.
Incompatible materials	: Metals.
Special rules on packaging	: Keep only in original container.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### Materials for protective clothing:

Not required for normal conditions of use

#### Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves

#### Eye protection:

Chemical goggles or safety glasses. EN 166

#### Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn

#### **Respiratory protection:**

Not required for normal conditions of use

#### Personal protective equipment symbol(s):



9.1. Information on basic physical and c		
Physical state	: Liquid	
Appearance	: Liquid.	
Colour	: light yellow.	
Odour	: chlorine-like.	
Odour threshold	: No data available	
рН	: 12.5	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: >= 100 °C	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: 1.07	
Solubility	: Soluble in water.	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	

# Safety Data Sheet

### B1000

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials
metals. Strong acids. Contact with acids liberates toxic gas.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

<b>SECTION 11: Toxicological information</b>	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
	pH: 12.5
Serious eye damage/irritation	: Causes serious eye damage.
	pH: 12.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term	: Toxic to aquatic life with long lasting effects.
(chronic)	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential No additional information available	
12.4. Mobility in soil	

12.4. Mobility in soil
No additional information available
12.5. Results of PBT and vPvB assessment
No additional information available
12.6. Other adverse effects
No additional information available

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
No additional information available	

In accordance with ADR / RID / IMDG / IATA / ADN
14.1. UN number
UN-No. (ADR) : UN 1791
UN-No. (IMDG) : UN 1791
UN-No. (IATA) : UN 1791
14.2. UN proper shipping name
Proper Shipping Name (ADR) : HYPOCHLORITE SOLUTION
Proper Shipping Name (IMDG) : HYPOCHLORITE SOLUTION

BLEACH	B100
Safety Data Sheet	its amondmont Bagulation (ELI) 2015/020
according to Regulation (EC) No. 1907/2006 (REACH) with Proper Shipping Name (IATA)	: Hypochlorite solution
Transport document description (ADR)	: UN 1791 HYPOCHLORITE SOLUTION, 8, III, (E)
Transport document description (IMDG)	: UN 1791 HYPOCHLORITE SOLUTION, 8, III
Transport document description (IATA)	: UN 1791 Hypochlorite solution, 8, III
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8
	. 0
IMDG	
Transport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	: 8
	. 0
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 8
Danger labels (IATA)	: 8
14.4. Packing group Packing group (ADR)	: 111
Packing group (IMDG)	: 111
Packing group (IATA)	: III
14.5. Environmental hazards	. 11
Dangerous for the environment	: Yes (Environmentally hazardous substances derogation applies (quantity of liquids ≤ 5
	litres or net mass of solids ≤ 5 kg). The environmentally hazardous substance mark is therefore not required, as stated in the ADR regulation, section 5.2.1.8.1.)
Marine pollutant	: Yes (IMDG 5.2.1.6.1 derogation applies (quantity of liquids ≤ 5 litres or net mass of solids ≤
	5 kg))
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	· C0
Classification code (ADR)	: C9
Special provisions (ADR)	: 521
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC02, LP01, R001
Special packing provisions (ADR)	: B5
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions	: TP2, TP24
(ADR)	
	: L4BV(+)
Tank code (ADR)	: L4BV(+) : TE11
Tank code (ADR) Tank special provisions (ADR)	
Tank special provisions (ADR) Vehicle for tank carriage	: TE11 : AT
(ADR) Tank code (ADR) Tank special provisions (ADR) Vehicle for tank carriage Transport category (ADR) Hazard identification number (Kemler No.)	: TE11

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates : 80   1791 : 1791   Tunnel restriction code (ADR) : E   Transport by sea : 223   Special provisions (IMDG) : 5 L   Excepted quantities (IMDG) : 5 L
Tunnel restriction code (ADR): ETransport by sea: 223Special provisions (IMDG): 5 L
Tunnel restriction code (ADR): ETransport by sea: 223Special provisions (IMDG): 5 L
Transport by sea   Special provisions (IMDG) : 223   Limited quantities (IMDG) : 5 L
Special provisions (IMDG): 223Limited quantities (IMDG): 5 L
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP2, TP24
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : B
Air transport
PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y841
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 852
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 856
CAO max net quantity (IATA) : 60L
Special provisions (IATA) : A3
ERG code (IATA) : 8L
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
IBC code : Not applicable.

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available 15.2. Chemical safety assessment No additional information available

### **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
EUH031		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	

Document generated @ 10/02/2020 11:41:04

B1000

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

B1000